PLANTINO NATIVE HERRINGBONE OFFERS THE FOLLOWING WARRANTIES:

Your selected flooring will be covered by one or more of the below warranties.

15 YEAR LIMITED SURFACE WARRANTY

25 YEAR STRUCTURAL INTEGRITY WARRANTY

For more information visit

hurfordflooring.com.au





WARRANTY PROVIDED BY





choicesflooring.com

The original purchaser of Australian Native Herringbone engineered flooring in Australia is offered the following warranty, effective for purchases made after 1st April 2020.

15 YEAR LIMITED SURFACE WARRANTY

The manufacturer warrants to the original purchaser that the floor surface will not wear through under normal conditions of wear and tear, for a period of fifteen years from the date of purchase. Gloss reduction and scratches caused by regular traffic are not considered wear through and are not covered by this warranty. The warranty becomes effective on the date of purchase.

25 YEAR STRUCTURAL INTEGRITY WARRANTY

The manufacturer warrants its product in its original manufactured condition to be free from defects in material and workmanship, including dimension, lamination and assembly.

NOTES

Timber flooring will continue to expand and contract during normal seasonal temperature and humidity changes. The product, when properly installed, may experience slight expansion, contraction and separation between boards, which is normal. If minor separation does occur, it is not covered by this warranty. Expansion gaps should be installed as required. Timber may naturally experience minor checking (cracks). This is not covered by this warranty. Being manufactured from a natural material, colour variations can occur between batches of the same species. Colour and appearance can also be affected by exposure to ultraviolet light and oxygen. Product thought to be defective by the installer should be returned to your dealer for inspection and possible replacement prior to installation. Installation implies acceptance of the appearance related claims, relating to features visible at purchase, once the products are installed.

If a flooring product from Hurford Flooring products should fail to meet the Terms of the Warranty, Hurford Flooring products and the manufacturer, at its option, will either supply a replacement product from the current range, parts to repair or replace the defective product, or refund the purchase price of the defective product prorated over the remaining life of this limited warranty. A minimum of 10% of the total installed surface area must be affected for the warranty to apply.

This warranty is exclusive. It covers the repair or replacement of defective materials only. It does not cover labour costs. Installation of the replacement products will be at the buyer's expense. The above remedy is the customer's only and is an exclusive remedy for claims under this warranty.

CONDITIONS

The manufacturer will honour claims under this warranty, only if all of the following conditions are satisfied:

- The covered person must provide proof of date of purchase, original purchase price and that he/ she is the original purchaser. He/she must also demonstrate the floor is at the original installation site.
- At all times between purchase and installation, the flooring must be properly stored according to installation instructions.
- This warranty applies to interior residential construction only.
- The flooring must be installed in accordance with the manufacturer's installation instructions. Relative humidity in the area of use must be maintained within a range of 40% to 70%.
- Australian Native Herringbone must be maintained in accordance with the manufacturer's recommendations.
- The manufacturer must receive written notice within 30 days after discovery of any claimed defect or failure covered under this warranty. The manufacturer must be given 60 days following notice to inspect the product to confirm any failure. Written notice should be sent to Hurford Wholesale Pty Ltd. The manufacturer or its representatives must be given the opportunity to inspect the floor prior to any repair or alteration.

WARRANTY EXCLUSIONS

The manufacturer's warranty does not cover



WARRANTY PROVIDED BY





choicesflooring.com

warranty

the following:

- Indentations, scratches, damage caused by negligence or accident, water ingress, insects, animals, high heeled or spiked shoes, urine and high traffic areas.
- Failure to follow the manufacturer's written engineered timber floor installation instructions, including protecting the floor from subfloor moisture.
- Exposure to excessive heat, sunlight or improper humidity in the environment.
- Improper maintenance, insufficient protection or misuse.
- Improper alterations to the original manufactured product. Alterations or repairs to the manufacturer's original product will void any and all warranties.
- Changes in colour or appearance due to full or partial exposure to sunlight, weather, ageing or refinishing.
- Failure due to structural changes in the subfloor, settling of the building or an uneven subfloor that has not been adequately levelled (+/- 3mm over 1000mm).

WARRANTY DISCLAIMERS

The foregoing is in lieu of all other warranties expressed or implied, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose, except as covered by Common Law. The manufacturer shall not be liable for loss of use or any other incidental or consequential costs, expenses or damages incurred by the original purchaser.

This warranty gives you specific rights and you may also have other rights that may vary from State to State.

MAINTAINING YOUR FLOOR

Your engineered floor is designed with low maintenance in mind. Follow these simple steps to achieve many years of enjoyment from your floor:

- Sweep or vacuum as often as necessary to remove any loose dirt or grit.
- Use protective mats at all exterior entrances. Do not use rubber-based mats as the rubber may leach into the floor.

- Use felt protectors under heavy pieces of furniture.
- Never slide or roll furniture or appliances across your floor. Protect the surface if using a trolley to move heavy objects.
- Spiked heels or shoes in need of repair can severely damage your floor. In areas of excessive traffic and wear, make use of runners or area rugs.
- Damp mop only avoid excessive amounts of water. Steam mops must not be used. If a spill occurs, soak up the bulk liquid promptly.
- Never use oil, soap, wax or other household products to clean your floor.
- Keep animal nails trimmed.
- Maintain relative humidity levels between 40% and 70%.

REPAIR SOLUTIONS

If a nick or scratch marks your floor, it can easily be repaired. Consult your dealer for a colour-matched crayon-type filler stick, designed for use on UV finished wood floors. You then simply need to fill in the scratch. If severe damage occurs, the old flooring can be removed and replaced with new boards of the same colour and style, or sanded and refinished.

REFINISHING SOLUTIONS

If the UV finish starts to show traffic wear patterns or loses its original gloss, a water-based urethane dressing can be used to restore it. Consult your dealer or a professional refinisher for products and instructions designed for use on UV-finished wood floors.

If necessary, your floor can be lightly abrade and recoated with a urethane finish. This will restore the gloss level and protect the wood. It is recommended that the entire floor be recoated and that a professional refinisher be consulted to achieve the best results.

For further information on Hurford Flooring products, please visit our website at **www.hurfordflooring.com.au** or call us on **07 3883 5200**.



WARRANTY PROVIDED BY





choicesflooring.com